



YOUR
PROFESSIONAL
KITCHEN,
YOUR STYLE.







“ EVERY FAMILY
HAS A SECRET
AND THE SECRET IS
THAT IT'S NOT LIKE
OTHER FAMILIES.

(Alan Bennett)

Steel story is a family story. It starts in 1922 when Angelo Po, set up his original company and his craftsman-ship in stainless steel helped in producing the first hand made stoves and later, the production of high quality appliances for restaurants. In 1999 the third generation decided to set up a new activity according to the ways of its grandfather. Their intuition is that to move the technology and the know-how acquired in the production of professional kitchens to the domestic market. Today Steel produces a wide range of stainless steel range cookers with high end functionalities: Steel designs ideas and realizes solutions.





“HOUSES ARE
BUILT TO LIVE IN,
AND NOT TO
LOOK ON.”

(Francis Bacon)

Our family, our job, every day's frenzy that give us satisfactions and tiredness. Our houses reflect our life-style: from details to décor everything must be conceived in order to be practical. Today's kitchens are not hidden, they are part of the living area. Cooking is an important moment to share. We talk, listen make projects while cooking. Our five senses are activated, together with our creativity!





“ CREATIVITY IS INTELLIGENCE
HAVING FUN. ”

(Albert Einstein)

It is all about who feels like a chef but also desire a safe, stable, long life product. Technology and reliability, to interpret and satisfy everybody's demands. High efficiency burners for traditional cooking, barbecue plates for lovers of griddle cooking, teppanyaki plates to prepare perfect fishes and vegetables, induction for the lovers of a new cooking system, user-friendly, efficient and safe.






“COLOUR IS A POWER
WHICH DIRECTLY
INFLUENCES THE SOUL.”

(Wassily Kandinsky)


Warm, cold, neutral, glossy, matt: colours combine with shapes to obtain character environments. It sets the mood, modifies the perception of the environments making them more comfortable and lively.




steel



nero




crema



bordeaux




antracite




sabbia



nuvola



celeste



ametista



Genesi 120 range cooker - Verticale 120 range hood - Genesi side-by-side 90

GENESI

Genesis is the first chapter of Steel story: a complete collection meant to ensure the highest efficiency, like your cooker was a restaurant one. Shaped in the highest quality stainless steel, Genesis has all the features of a professional cooker: strength, safety, and comfort are its keywords. It offers induction and gas hobs, multifunction and combi-steam ovens, refrigerators, range hoods and modular system. Genesis is the perfect combination of style and functionality.





" I'M A MAN OF
SIMPLE TASTES.
I'M ALWAYS SATISFIED
WITH THE BEST. "

(Oscar Wilde)



Fully loaded multifunction ovens (combi-steam, traditional, fan forced, grill functions): griddles, deep trays, wok support, rotisserie, telescopic liners are always included. The right solution for every "family sayings" when it becomes to cooking.





Genesis 90 range cooker - Genesis 90 range hood - Genesis modular system

Components are details which make the difference: the megawok brass burners ensure the highest efficiency in terms of energy saving. The cast iron integrated pan supports are perfectly integrated with the modern design of the burners. Heating distribution is consistent for both low cooking and open flames.




“ THE MOST TANGIBLE OF ALL
VISIBLE MYSTERIES – FIRE. ”

(Leigh Hunt)



Genesi range cooker 100 antracite – Genesi built-in oven 60x60 antracite



"DETAILS MAKE PERFECTION,
AND PERFECTION
IS NOT A DETAIL."

(Leonardo da Vinci)



Metal knobs and handles, cast iron pan supports, cold triple glazed oven doors. Everything is designed to make your kitchen the most ergonomic and easy to use one, with an eye to safety.





Genesis 120 range cooker /frytop – Genesis 120 range hood

To customize your kitchen means to establish the order of things. Steel modular system are meant to meet every single need in terms of space and comfort. Appliances, accessories and stocking areas are a mix of functionality, aesthetics and ergonomics. Steel is the solution for every need.



Genesi 90 cookunit



BUILT-IN

Each to his own cooking system; You can prepare pizza and bread into Steel pizza oven cooking it directly on the stone. It can be combined with a multifunction or combi-steam oven and reaches 315°C to cook a perfect italian pizza in 4 minutes.







combisteam

Combi-Steam oven are used since long time in professional cooking and make every preparation more tasty. 100% steady humidity into the oven chamber preserves the organoleptic proprieties and flavour of food. Choosing a Combi-Steam oven means cooking as always, with better results.

" TASTE IS THE COMMON
SENSE OF GENIUS. "


(Victor Hugo)

Steam cooking is a method of oriental origin that allows to cook food while preserving its best organoleptic and nutritional properties; all this without adding fat, allowing the preparation of health and dietary food but at the same time tasty and palatable; while saving time.



Genesis range cooker 120 antracite/combi-steam






HAPPINESS
IS WHEN WHAT
YOU THINK
AND WHAT
YOU SAY,
AND WHAT
YOU DO ARE
IN HARMONY.

(MAHATMA GANDHI)










INDUCTION COOKING



The new Steel flexinduction hobs. The cooking area can be tailored to your needs, enabling you to cook multiple dishes at once. With the flexinduction hobs, you are ready for any situation and can let your creativity reign free.



Induction takes less time to cook food because the pan heats up quicker. Electromagnetic activity in the cooktop triggers electromagnetic activity in the pan, and the pan itself heats up. The pan is the starting point of the heat. Since there are fewer steps involved in heating the cookware, it takes less time for the heat to get to the food (25% to 50% less time, on average).



A gas flame releases lots of heat around the pan, an electric burner emits radiant heat at any point where it is not in direct, firm contact with the pan. When heat is generated within the pan itself, as with induction, more of that heat gets to the food, and less of it warms up your kitchen. This means increased energy efficiency.



No flame means no grease fires, and no gas means no gas leaks. Induction hob typically doesn't get all that hot since the heat is created in the pan itself. This means it would be less likely for the cooktop to cause a burn because the pan cools down as soon as you turn off the heat.



Since an induction cooktop seldom gets very hot, food doesn't burn onto it. This means a splatter, a spill or a pasta-sauce pop calls for a quick swipe with a sponge.



Induction cooktops are as responsive as gas but they also have more settings. It means they allow for much more precise control of the heat for any kind of cooking.



Enfasi range cooker 90 antracite - Enfasi 90 range hood - Genesi french-door 90 antracite

ENFASI

With its modern and linear details Enfasi is studied in the details to be harmoniously matched into each furniture. Enfasi range cookers are made according to the standards of the kitchen furniture manufacturers. The body height and its sizes match those of the furniture cabinets, which allows for a "slot-in" solution. Gas or induction hobs, Enfasi is the core of your kitchen, the power of a professional range cooker into a minimal and classy dress.





Genesi french-door 90 antracite



Enfasi 90 range cooker anthracite -
Enfasi 90 range hood



Enfasi 100 range cooker/induction - Enfasi 100 range hood





Enfasi 90 range hood antracite



"THE ABILITY TO CONVERT IDEAS
TO THINGS IS THE SECRET OF
OUTWARD SUCCESS."

(Henry Ward Beecher)

Clean design with great personality and expressiveness: each component is meant to emphasize functions and to adapt to the furniture. Ergonomic metal handles and knobs, adjustable feet, stocking compartment, double glazed oven door. To choose an Enfasi means to choose the best motor for your kitchen, regardless the body.



"WITHOUT
CRAFTSMANSHIP,
INSPIRATION IS
MERE REED SHAKEN
IN THE WIND."

(Johannes Brahms)

Mumbling of boiling water, crackling of frying oil. Smell, not smoke. Silent and effective, Enfasi stainless steel range hood is A class rated. Four speeds, soft touch buttons, digital display, LED lightening. The Enfasi range hood design is studied to match every interior design.





Enfasi 90 range cooker antracite – Enfasi 90 range hood



Ascot 90 french-door celeste – Ascot 100 range cooker/induction celeste – Ascot 100 range hood celeste

ASCOT

Ascot collection meet the taste of a modern-day interpretation of elegant living in shapes and colours. A British style which smells like apple pie. A range of cookers, modular system, built-in ovens, refrigerators and hoods which ensure professional performances and high technology into a more classic look, travelling backwards in time.





Ascot built-in oven 60x60/combi-steam celeste

A self-confident collection, which find expression of its strength even when appliances are built-in modern and minimal furnitures.



Ascot 90 cooktop/frytop celeste - Ascot 90 range hood celeste



Ascot 100 rage cooker sabbia



" COLOUR POSSESSES ME.
I DON'T HAVE TO
PURSUE IT. "


(Paul Klee)




chrome



nickel



brass



bronze







" PAST IS NOT A
PACKAGE ONE
CAN LAY AWAY. "

(Emily Dickinson)

A cozy atmosphere showers a rain of memories of a simple and real lost world. Combining Ascot elements you can maintain a retro taste with their high technologies, the highest in the market. Range cookers, hoods, refrigerators, modular system, built-in ovens are marked by gently emphasized knobs and an enriching trim.

" ONE CANNOT THINK WELL,
LOVE WELL, SLEEP WELL
IF ONE HAS NOT
DINED WELL. "

(Virginia Wolf)



Ascot 1003 range cooker solid door crema



“ TO BE HAPPY AT HOME
IS THE ULTIMATE RESULT
OF ALL AMBITION. ”

(Samuel Johnson)

When the family meets at home, the kitchen becomes a sacred place and the dining a rite to celebrate together. Cooking becomes a creative masterpiece requiring a specific technique and a perfectly working laboratory. When 4 burners are not enough, what about a 6 burners range cooker? All Genesi and Ascot ranges may be equipped with a barbecue or fry-top grid. As about the ovens, you may choose among single, double or triple multifunction oven models. Steel creates the perfect cooker to serve a perfectly laid table.





Ascot 120 range cooker/frytop/combi-steam antracite



Oxford 100 range cooker/induction nuvola – Oxford 100 range hood nuvola

OXFORD

The newborn of Steel, Oxford collection is very romantic. Decoration and finishing are clearly visible, and soften the strong stainless-steel body matt black painted. An extended color range to emphasize the space, giving an ironic retro style. Oxford introduces range cookers and range hoods for every need, from recreating a country-chic space to break up a minimal interior design.





Oxford 100 range cooker/induction nuvola Oxford
100 range hood nuvola



Ascot built-in side-by-side refrigerator







Oxford 100 range cooker/induction



" STYLE IS WHAT GIVES
VALUE AND CURRENCY
TO THOUGHTS. "

(Arthur Schopenhauer)

An Oxford range cooker talks about details: nero fumo painted body, black enameled hob, showy backsplash with the company name, door hinges, analogic retro clock. Many expedients to highlight the nature of this collection. To reproduce a vintage kitchen, to whom is fascinated by exposed screws, to whom is still in love with American TV shows of the 50's and 60's.

**RANGE COOKERS
GENESI**






GENESI 120

GENESI 120

GENESI 100







GENESI 100

GENESI 100|3



main oven	COMBI STEAM 9+2 functions				multifunction 9 functions				COMBI STEAM 9+2 functions				multifunction 9 functions				convection 2 functions					
auxiliary oven	traditional 4 functions				traditional 4 functions				traditional 4 functions				traditional 4 functions				traditional 4 functions					
upper oven	-				-				-				-				grill 4 functions					
width mm	1172				1172				998				998				998					
depth mm	599 body / 625 top				599 body / 625 top				599 body / 625 top				599 body / 625 top				599 body / 625 top					
height mm	898				898				898				898				898					
height adjustment mm *	20				20				20				20				20					
body material	s.steel Aisi 441				s.steel Aisi 441				s.steel Aisi 441				s.steel Aisi 441				s.steel Aisi 441					
top material	s.steel Aisi 304				s.steel Aisi 304				s.steel Aisi 304				s.steel Aisi 304				s.steel Aisi 304					
standard colour	s.steel				s.steel				s.steel				s.steel				s.steel					
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista					
colour position	doors and front drawer				doors and front drawer				doors and front drawer				doors and front drawer				doors and front drawer					
knobs and handles material	metal				metal				metal				metal				metal					
standard trim	brushed				brushed				brushed				brushed				brushed					
trims on demand	-				-				-				-				-					
clock	digital programmer				digital programmer				digital programmer				digital programmer				digital programmer					
main oven	91 lt /s.steel				91 lt /stone grey enamelled				70 lt /s.steel				91 lt /stone grey enamelled				70 lt /s.steel					
auxiliary oven	39 lt/stone grey enamelled				39 lt/stone grey enamelled				39 lt/stone grey enamelled				39 lt/stone grey enamelled				39 lt/stone grey enamelled					
upper oven	-				-				-				-				34 lt/stone grey enamelled					
grill main oven	2870 w				2870 w				1950 w				1950 w				-					
grill auxiliary oven	1250 w				1250 w				1230 w				1230 w				1230 w					
grill upper oven	-				-				-				-				1950 w					
temp. min-max main oven	50-270°C				50-255°C				50-265°C				50-255°C				50-265°C					
temp. min-max auxiliary oven	50-265°C				50-265°C				50-265°C				50-265°C				50-265°C					
temp. min-max upper oven	-				-				-				-				50-265°C					
oven door(s)	3 glasses				3 glasses				3 glasses				3 glasses				3 glasses					
drawer	s.steel /push-pull /34 lt				s.steel /push-pull /34 lt				s.steel /push-pull /28 lt				s.steel /push-pull /28 lt				s.steel /9 lt					
rotisserie	x (main oven)				x (main oven)				x (main oven)				x (main oven)				-					
deep tray main oven	1 s.steel				1 stone grey enamelled				1 s.steel				1 stone grey enamelled				1 stone grey enamelled					
deep tray auxiliary oven	1 stone grey enamelled				1 stone grey enamelled				1 stone grey enamelled				1 stone grey enamelled				1 stone grey enamelled					
deep tray upper oven	-				-				-				-				1 stone grey enamelled					
wiring shelves main oven	2 s.steel				2 chrome				2 s.steel				2 chrome				1 chrome					
wiring shelves auxiliary oven	1 chrome				1 chrome				1 chrome				1 chrome				1 chrome					
wiring shelves upper oven	-				-				-				-				1 chrome					
trivet main oven	1 s.steel				1 chrome				1 s.steel				1 chrome				1 chrome					
trivet auxiliary oven	1 chrome				1 chrome				1 chrome				1 chrome				1 chrome					
teleopic liners	2 pair				2 pair				2 pair				2 pair				3 pair					
pizza stone kit	x				x				x				x				x					
recipe book card	x				-				x				-				x					
ignition	one-touch				one-touch				one-touch				one-touch				one-touch					
models	G12SF-....				G12FF-....				G10SF-....				G10FF-....				G10FFF-....					
	...6M	...6T	...6B	...4TM	...6M	...6T	...6B	...4TM	...4BM	...6W	...4M	...4T	...5FI	...6W	...4M	...4T	...4B	...5FI	...6W	...4M	...4T	...5FI
integrated cast iron pan supports	x	x	x	x	x	x	x	x	x	x	x	x	-	x	x	x	x	-	x	x	x	-
cart iron wok support	x	x	x	x	x	x	x	x	x	x	x	x	-	x	x	x	x	-	x	x	x	-
auxiliary brass burner 1 kW	1	2	2	1	1	2	2	1	1	2	1	1	-	2	1	1	1	-	2	1	1	-
semi-rapid brass burner 1,8 kW	2	1	1	1	2	1	1	1	1	1	1	1	-	1	1	1	1	-	1	1	1	-
rapid brass burner 3 kW	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	-	1	1	1	-
wok brass burner 3,6 kW	2	2	2	1	2	2	2	1	1	2	1	1	-	2	1	1	1	-	2	1	1	-
megawok brass burner max 6 kW	1	-	-	1	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-
cast iron frytop 2,4 kW	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-
cast iron bbq 2,4 kW	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
induction with booster max 3,7 kW ans child-lock	-	-	-	-	-	-	-	-	-	-	-	-	1,85+1,85+ 2,1+2,1+2,1	-	-	-	-	1,85+1,85+ 2,1+2,1+2,1	-	-	-	1,85+1,85+ 2,1+2,1+2,1
flex induction -booster max 7,4 kW	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	x	-	-	-	x
max consumption kWh	5	7,4	7,4	7,4	4,3	6,7	6,7	6,7	6,7	4,45	4,45	6,85	11,85	3,6	3,6	6	6	11	5,67	5,67	8,07	13,07
s.steel 5mm teppanyaki SA-TY	-	●	●	●	-	●	●	●	●	-	-	●	●	-	-	●	●	●	-	-	●	●
s.steel 5mm teppanyaki DA-TY	●	-	-	-	●	-	-	-	-	●	●	-	-	●	●	-	-	-	●	●	-	-
gas connection left backside	x	x	x	x	x	x	x	x	x	x	x	x	-	x	x	x	x	-	x	x	x	-
energy class A	x				x				x				x				x					

x = included - ● = on demand - * cooker support pg 67

**GENESI 100|3
solid door**
GENESI 90
GENESI 90
GENESI 70
GENESI 70
GENESI 70|2


convection 2 functions	COMBI STEAM g+2 functions	multifunction 9 functions	COMBI STEAM g+2 functions	multifunction 9 functions	convection 2 functions
traditional 4 functions	-	-	-	-	-
grill 4 functions	-	-	-	-	grill 4 functions
998	899	899	698	698	698
599 body / 625 top	599 body / 625 top	599 body / 625 top	599 body / 625 top	599 body / 625 top	599 body / 625 top
898	898	898	898	898	898
20	20	20	20	20	20
s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
doors and front drawer	doors and front drawer	doors and front drawer	doors and front drawer	doors and front drawer	doors
metal	metal	metal	metal	metal	metal
brushed	brushed	brushed	brushed	brushed	brushed
-	-	-	-	-	-
digital programmer	digital programmer	digital programmer	digital programmer	digital programmer	digital programmer
70 lt /s.steel	91 lt /s.steel	91 lt /stone grey enamelled	70 lt /s.steel	70 lt /stone grey enamelled	70 lt /stone grey enamelled
39 lt /stone grey enamelled	-	-	-	-	-
34 lt /stone grey enamelled	-	-	-	-	34 lt /stone grey enamelled
-	2870 w	2870 w	1950 w	1950 w	-
1230 w	-	-	-	-	-
1950 w	-	-	-	-	1950 w
50-265°C	50-270°C	50-265°C	50-265°C	50-265°C	50-265°C
50-265°C	-	-	-	-	-
50-265°C	-	-	-	-	-
solid 3 glasses	3 glasses	3 glasses	3 glasses	3 glasses	3 glasses
s.steel / 9 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 18 lt	s.steel / push-pull / 18 lt	-
-	x	x	x	x	x (main oven)
1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 stone grey enamelled
1 stone grey enamelled	-	-	-	-	-
1 stone grey enamelled	-	-	-	-	1 stone grey enamelled
1 chrome	1 s.steel	1 chrome	1 chrome	1 chrome	1 chrome
1 chrome	-	-	-	-	-
1 chrome	-	-	-	-	1 chrome
1 chrome	1 s.steel	1 chrome	1 s.steel	1 chrome	1 chrome
1 chrome	-	-	-	-	-
3 pair	1 pair	1 pair	1 pair	1 pair	2 pair
x	x	x	x	x	x
x	x	x	x	x	x
one-touch	one-touch	one-touch	one-touch	one-touch	one-touch
G10FF-D-...	G9S-...	G9F-...	G7S-...	G7F-...	G7FF-...
...-6W ...-4M ...-4T ...-5FI	...-6W ...-4M ...-4T ...-5FI	...-6W ...-4M ...-4T ...-5FI	...-4 ...-4	...-4 ...-4	...-4 ...-4
x x x -	x x x -	x x x -	x -	x -	x -
x x x -	x x x -	x x x -	-	x -	x -
2 1 1 -	2 1 1 -	2 1 1 -	1 -	1 -	1 -
1 1 1 -	1 1 1 -	1 1 1 -	1 -	1 -	1 -
1 1 1 -	1 1 1 -	1 1 1 -	1 -	1 -	1 -
2 1 1 -	2 1 1 -	2 1 1 -	1 -	1 -	1 -
- 1 - -	- 1 - -	- 1 - -	- -	- -	- -
- - 1 -	- - 1 -	- - 1 -	- -	- -	- -
- - - -	- - - -	- - - -	- -	- -	- -
- - - 1,85+1,85+2,1+2,1	- - - 1,85+1,85+2,1+2,1	- - - 1,85+1,85+2,1+2,1	- 1,85+1,85+2,3+1,4	- 1,85+1,85+2,3+1,4	- 1,85+1,85+2,3+1,4
- - - x	- - - x	- - - x	- -	- -	- -
5,67 5,67 8,07 13,07	3,6 3,6 6 11	2,9 2,9 5,3 10,3	3,02 10,42	2,17 9,57	4,24 11,64
- - - -	- - - -	- - - -	- -	- -	- -
• • • -	• • • -	• • • -	• -	• -	• -
x x x -	x x x -	x x x -	x -	x -	x -
x	x	x	x	x	x

**RANGE COOKERS
ASCOT**






ASCOT 120

ASCOT 120

ASCOT 100


ASCOT 100

ASCOT 100j3




main oven	COMBI STEAM 9+2 functions				multifunction 9 functions				COMBI STEAM 9+2 functions				multifunction 9 functions				convection 2 functions					
auxiliary oven	traditional 4 functions				traditional 4 functions				traditional 4 functions				traditional 4 functions				traditional 4 functions					
upper oven	-				-				-				-				grill 4 functions					
width mm	1172				1172				998				998				998					
depth mm	599				599				599				599				599					
height mm	898				898				898				898				898					
height adjustment mm *	20				20				20				20				20					
body material	s.steel Aisi 441				s.steel Aisi 441				s.steel Aisi 441				s.steel Aisi 441				s.steel Aisi 441					
top material	s.steel Aisi 304				s.steel Aisi 304				s.steel Aisi 304				s.steel Aisi 304				s.steel Aisi 304					
standard colour	s.steel				s.steel				s.steel				s.steel				s.steel					
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista					
colour position	side panels, control panel, doors and drawers				side panels, control panel, doors and drawers				side panels, control panel, doors and drawers				side panels, control panel, doors and drawers				side panels, control panel, doors and drawers					
knobs and handles material	metal				metal				metal				metal				metal					
standard trim	chrome				chrome				chrome				chrome				chrome					
trims on demand	nickel, brass, bronze				nickel, brass, bronze				nickel, brass, bronze				nickel, brass, bronze				nickel, brass, bronze					
clock	electronic round programmer				electronic round programmer				electronic round programmer				electronic round programmer				electronic round programmer					
main oven	91 lt /s.steel				91 lt /stone grey enamelled				70 lt /s.steel				91 lt /stone grey enamelled				70 lt /s.steel					
auxiliary oven	39 lt/stone grey enamelled				39 lt/stone grey enamelled				39 lt/stone grey enamelled				39 lt/stone grey enamelled				39 lt/stone grey enamelled					
upper oven	-				-				-				-				34 lt/stone grey enamelled					
grill main oven	2870 w				2870 w				1950 w				1950 w				-					
grill auxiliary oven	1250 w				1250 w				1230 w				1230 w				1230 w					
grill upper oven	-				-				-				-				1950 w					
temp. min-max main oven	50-270 °C				50-255 °C				50-265 °C				50-255 °C				50-265 °C					
temp. min-max auxiliary oven	50-265 °C				50-265 °C				50-265 °C				50-265 °C				50-265 °C					
temp. min-max upper oven	-				-				-				-				50-265 °C					
oven door(s)	3 glasses				3 glasses				3 glasses				3 glasses				solid 3 glasses					
drawer	s.steel /push-pull /34 lt				s.steel /push-pull /34 lt				s.steel /push-pull /28 lt				s.steel /push-pull /28 lt				s.steel /9 lt					
rotisserie	x (main oven)				x (main oven)				x (main oven)				x (main oven)				-					
deep tray main oven	1 s.steel				1 stone grey enamelled				1 s.steel				1 stone grey enamelled				1 stone grey enamelled					
deep tray auxiliary oven	1 stone grey enamelled				1 stone grey enamelled				1 stone grey enamelled				1 stone grey enamelled				1 stone grey enamelled					
deep tray upper oven	-				-				-				-				1 stone grey enamelled					
wiring shelves main oven	2 s.steel				2 chrome				2 s.steel				2 chrome				1 chrome					
wiring shelves auxiliary oven	1 chrome				1 chrome				1 chrome				1 chrome				1 chrome					
wiring shelves upper oven	-				-				-				-				1 chrome					
trivet main oven	1 s.steel				1 chrome				1 s.steel				1 chrome				1 chrome					
trivet auxiliary oven	1 chrome				1 chrome				1 chrome				1 chrome				1 chrome					
teleopic liners	2 pair				2 pair				2 pair				2 pair				3 pair					
pizza stone kit	x				x				x				x				x					
recipe book card	x				-				x				-				x					
ignition	one-touch				one-touch				one-touch				one-touch				one-touch					
models	A12SF-....				A12FF-...				A10SF-...				A10FF-...				A10FF-...					
	...6M	...6T	...6B	...4TM	...6M	...6T	...6B	...4TM	...4BM	...6W	...4M	...4T	...5FI	...6W	...4M	...4T	...4B	...5FI	...6W	...4M	...4T	...5FI
integrated cast iron pan supports	x	x	x	x	x	x	x	x	x	x	x	x	-	x	x	x	x	-	x	x	x	-
cart iron wok support	x	x	x	x	x	x	x	x	x	x	x	x	-	x	x	x	x	-	x	x	x	-
auxiliary brass burner 1 kW	1	2	2	1	1	2	2	1	1	2	1	1	-	2	1	1	1	-	2	1	1	-
semi-raipid brass burner 1,8 kW	2	1	1	1	2	1	1	1	1	1	1	1	-	1	1	1	1	-	1	1	1	-
raipid brass burner 3 kW	1	1	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	-	1	1	1	-
wok brass burner 3,6 kW	2	2	2	1	2	2	2	1	1	2	1	1	-	2	1	1	1	-	2	1	1	-
megawok brass burner max 6 kW	1	-	-	1	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-
cast iron frytop 2,4 kW	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-
cast iron bbq 2,4 kW	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
induction with booster max 3,7 kW ans child-lock	-	-	-	-	-	-	-	-	-	-	-	-	1,85+1,85+2,1+2,1+2,1	-	-	-	-	1,85+1,85+2,1+2,1+2,1	-	-	-	1,85+1,85+2,1+2,1+2,1
flex induction - booster max 7,4 kW	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	x	-	-	-	x
max consumption kWh	5	7,4	7,4	7,4	4,3	6,7	6,7	6,7	6,7	4,45	4,45	6,85	11,85	3,6	3,6	6	6	11	5,67	5,67	8,07	13,07
s.steel 5mm teppanyaki SA-TY	-	●	●	●	-	●	●	●	●	-	-	●	●	-	-	●	●	●	-	-	●	●
s.steel 5mm teppanyaki DA-TY	●	-	-	-	●	-	-	-	-	●	●	-	-	●	●	-	-	-	●	●	-	-
gas connection left backside	x	x	x	x	x	x	x	x	x	x	x	x	-	x	x	x	x	-	x	x	x	-
energy class A	x				x				x				x				x					


**ASCOT 100|3
solid door**




ASCOT 90




ASCOT 90




ASCOT 70








ASCOT 70



ASCOT 70



convection 2 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	convection 2 functions
traditional 4 functions	-	-	-	-	-
grill 4 functions	-	-	-	-	grill 4 functie
998	899	899	698	698	698
599	599	599	599	599	599
898	898	898	898	898	898
20	20	20	20	20	20
s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
side panels, control panel, doors and drawers	side panels, control panel, doors and drawers	side panels, control panel, doors and drawers	side panels, control panel, doors and drawers	side panels, control panel, doors and drawers	side panels, control panel, doors
metal	metal	metal	metal	metal	metal
chrome	chrome	chrome	chrome	chrome	chrome
nickel, brass, bronze	nickel, brass, bronze	nickel, brass, bronze	nickel, brass, bronze	nickel, brass, bronze	nickel, brass, bronze
electronic round programmer	electronic round programmer	electronic round programmer	electronic round programmer	electronic round programmer	electronic round programmer
70 lt/s.steel	91 lt/s.steel	91 lt /stone grey enamelled	70 lt/s.steel	70 lt/stone grey enamelled	70 lt/stone grey enamelled
39 lt/stone grey enamelled	-	-	-	-	-
34 lt/stone grey enamelled	-	-	-	-	34 lt/stone grey enamelled
-	2870 w	2870 w	1950 w	1950 w	-
1230 w	-	-	-	-	-
1950 w	-	-	-	-	1950 w
50-265 °C	50-270 °C	50-265 °C	50-265 °C	50-265 °C	50-265 °C
50-265 °C	-	-	-	-	-
50-265 °C	-	-	-	-	-
3 glasses	3 glasses	3 glasses	3 glasses	3 glasses	3 glasses
s.steel / 9 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 25 lt	s.steel / push-pull / 18 lt	s.steel / push-pull / 18 lt	-
-	x	x	x	x	x (main oven)
1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 stone grey enamelled
1 stone grey enamelled	-	-	-	-	-
1 stone grey enamelled	-	-	-	-	1 stone grey enamelled
1 chrome	1 s.steel	1 chrome	1 chrome	1 chrome	1 chrome
1 chrome	-	-	-	-	-
1 chrome	-	-	-	-	1 chrome
1 chrome	1 s.steel	1 chrome	1 s.steel	1 chrome	1 chrome
1 chrome	-	-	-	-	-
3 pair	1 pair	1 pair	1 pair	1 pair	2 pair
x	x	x	x	x	x
x	x	x	x	x	x
one-touch	one-touch	one-touch	one-touch	one-touch	one-touch
A10FF-D-...	A9S-...	A9F-...	A7S-...	A7F-...	A7FF-...
...-6W ...-4M ...-4T ...-5Fl	...-6W ...-4M ...-4T ...-5Fl	...-6W ...-4M ...-4T ...-5Fl	...-4 ...-4l	...-4 ...-4l	...-4 ...-4l
x x x -	x x x -	x x x -	x -	x -	x -
x x x -	x x x -	x x x -	x -	x -	x -
2 1 1 -	2 1 1 -	2 1 1 -	1 -	1 -	1 -
1 1 1 -	1 1 1 -	1 1 1 -	1 -	1 -	1 -
1 1 1 -	1 1 1 -	1 1 1 -	1 -	1 -	1 -
2 1 1 -	2 1 1 -	2 1 1 -	1 -	1 -	1 -
- 1 - -	- 1 - -	- 1 - -	- -	- -	- -
- - 1 -	- - 1 -	- - 1 -	- -	- -	- -
- - - -	- - - -	- - - -	- -	- -	- -
- - - 1,85+1,85+2,1+2,1+2,1	- - - 1,85+1,85+2,1+2,1+2,1	- - - 1,85+1,85+2,1+2,1+2,1	- 1,85+1,85+2,3+1,4	- 1,85+1,85+2,3+1,4	- 1,85+1,85+2,3+1,4
- - - x	- - - x	- - - x	- -	- -	- -
5,67 5,67 8,07 13,07	3,6 3,6 6 11	2,9 2,9 5,3 10,3	3,02 10,42	2,17 9,57	4,24 11,64
- - ● ●	- - ● ●	- - ● ●	- ●	- ●	- ●
● ● - -	● ● - -	● ● - -	● -	● -	● -
x x x -	x x x -	x x x -	x -	x -	x -
x	x	x	x	x	x

**RANGE COOKERS
ENFASI - OXFORD**
ENFASI 100

ENFASI 90

OXFORD 100

OXFORD 100|3

OXFORD 90





main oven	multifunction 8 functions		multifunction 8 functions		multifunction 8 functions		multifunction 8 functions		multifunction 8 functions	
auxiliary oven	traditional 4 functions		-		traditional 4 functions		traditional 4 functions		-	
upper oven	-		-		-		grill 4 functie		-	
width mm	998		899		1000		1000		900	
depth mm	599		599		600		600		600	
height mm	920		920		880		880		880	
height adjustment mm *	50		50		20		20		20	
backsplash/height	-		-		x/100		x/100		x/100	
body material	s.steel Aisi 441		s.steel Aisi 441		nero fumo s.steel Aisi 441		nero fumo s.steel Aisi 441		nero fumo s.steel Aisi 441	
top material	s.steel Aisi 304		s.steel Aisi 304		black enamelled		black enamelled		black enamelled	
standard colour	s.steel		s.steel		nero fumo		nero fumo		nero fumo	
colours on demand	antracite		antracite		crema, bordeaux, nero, celeste, sabbia, nuvola, ametista		crema, bordeaux, nero, celeste, sabbia, nuvola, ametista		crema, bordeaux, nero, celeste, sabbia, nuvola, ametista	
colour position	doors and front compartment		door and front compartment		doors and front compartment		doors and front compartment		door and front compartment	
knobs and handles material	metal		metal		metal		metal		metal	
standard trim	brushed		brushed		nickel		nickel		nickel	
clock	digital programmer touch control		digital programmer touch control		round retrò analog		round retrò analog		round retrò analog	
main oven	70 lt/black enamelled		91 lt/black enamelled		91 lt/black enamelled		91 lt/black enamelled		91 lt/black enamelled	
auxiliary oven	39 lt/black enamelled		-		39 lt/black enamelled		39 lt/black enamelled		-	
upper oven	-		-		-		34 lt/black enamelled		-	
grill main oven	1950 w		2870 w		1950 w		1950 w		2870 w	
grill auxiliary oven	1230 w		-		1230 w		1230 w		-	
grill upper oven	-		-		-		1950 w		-	
temp. min-max main oven	50-265 °C		50-255 °C		50-265 °C		50-265 °C		50-255 °C	
temp. min-max auxiliary oven	50-265 °C		-		50-265 °C		50-265 °C		-	
temp. min-max upper oven	-		-		-		50-265 °C		-	
oven door(s)	2 glasses		2 glasses		2 glasses		2 glasses		2 glasses	
compartment	s.steel / compartment / 28 lt		s.steel / compartment / 25 lt		s.steel / compartment / 28 lt		s.steel / compartment / 9 lt		s.steel / compartment / 25 lt	
rotisserie	x (main oven)		x		x (main oven)		-		x	
deep trays main oven	1 black enamelled		1 black enamelled		1 black enamelled		1 black enamelled		1 black enamelled	
deep trays auxiliary oven	1 black enamelled		-		1 black enamelled		1 black enamelled		-	
deep trays upper oven	-		-		-		-		-	
wiring shelves main oven	1 chrome		1 chrome		2 chrome		1 chrome		2 chrome	
wiring shelves auxiliary oven	1 chrome		-		1 chrome		1 chrome		-	
wiring shelves upper oven	-		-		-		1 chrome		-	
trivet main oven	-		-		1 chrome		1 chrome		1 chrome	
trivet auxiliary oven	-		-		1 chrome		1 chrome		-	
trivet upper oven	●		●		●		●		●	
telescopic liners SA-GT	● ●		● ●		● ●		● ●		● ●	
pizza stone kit SA-P7	●		●		●		●		●	
ignition	one-touch		one-touch		one-touch		one-touch		one-touch	
models	E10FF-...		EgF-		X10FF-...		X10FFF-...		X9F-...	
	...-6	...-6l	...-6	...-6l	...-6	...-6l	...-6	...-6l	...-6	...-6l
cast iron pan supports	x	-	x	-	x	-	x	-	x	-
cast iron wok support	x	-	x	-	x	-	x	-	x	-
aluminium auxiliary burner 1 kW	1	-	1	-	1	-	1	-	1	-
aluminium semi-rapid burner 1,8 kW	2	-	2	-	2	-	2	-	2	-
aluminium rapid burner 3 kW	2	-	2	-	2	-	2	-	2	-
aluminium wok burner 6 kW	1	-	1	-	-	-	-	-	-	-
brass wok burner 4,5 kW	-	-	-	-	1	-	1	-	1	-
cast iron frytop with s.steel support DA-ST	●	-	●	-	●	-	●	-	●	-
cast iron bbq SA-PB*	●	-	-	-	-	-	-	-	-	-
induction with booster max 3,7 kW and child lock	-	1,6+1,4+2,4+2,3+1,6	-	1,6+1,4+2,4+2,3+1,6	-	1,6+1,4+2,4+2,3+1,6	-	1,6+1,4+2,4+2,3+1,6	-	1,6+1,4+2,4+2,3+1,6
max consumption kWh	3,6	11	2,9	10,3	3,6	11	3,6	11	2,9	10,3
s.steel 5 mm teppanyaki SA-TY	-	●	-	●	-	●	-	●	-	●
s.steel 5 mm teppanyaki DA-TY	●	-	●	-	●	-	●	-	●	-
energy class A	x		x		x		x		x	

x = included - ● = on demand - * cooker support pg.67

ACCESSORIES GENESI	GENESI 120	GENESI 100 / 100 3	GENESI 90	GENESI 70 / 70 2
backsplash	SA-AG12	SA-AG10	SA-AG9	SA-AG7
cooker support 5 cm + plinth 10 cm	SA-SZ12	SA-SZ10	SA-SZ9	SA-SZ7
cooker support 3 cm + plinth 8 cm	SA-SZ12-3	SA-SZ10-3	SA-SZ9-3	SA-SZ7-3
s.steel spacer 10 cm	GA-D12	GA-D10	GA-D9	GA-D7
s.steel spacer 5 cm	GA-D12-5	GA-D10-5	GA-D9-5	GA-D7-5
plastic feet 40 mm	SA-PR	SA-PR	SA-PR	SA-PR
s.steel feet 20 mm	SA-PRX	SA-PRX	SA-PRX	SA-PRX
s.steel splashback	SK120	SK100	SK90	SK70

ACCESSORIES ASCOT	ASCOT 120	ASCOT 100 / 100 3	ASCOT 90	ASCOT 70 / 70 2
backsplash	-	-	-	-
cooker support 5 cm + plinth 10 cm	SA-AZ12	SA-AZ10	SA-AZ9	SA-AZ7
cooker support 3 cm + plinth 8 cm	SA-AZ12-3	SA-AZ10-3	SA-AZ9-3	SA-AZ7-3
s.steel spacer 10 cm	AA-D12	AA-D10	AA-D9	AA-D7
s.steel spacer 5 cm	AA-D12-5	AA-D10-5	AA-D9-5	AA-D7-5
plastic feet 40 mm	SA-PR	SA-PR	SA-PR	SA-PR
s.steel feet 20 mm	SA-PRX	SA-PRX	SA-PRX	SA-PRX
s.steel splashback	ASK120	ASK100	ASK90	ASK70


ACCESSORIES ENFASI OXFORD	ENFASI 100	ENFASI 90	OXFORD 100 / 100 3	OXFORD 90
backsplash	-	-	-	-
cooker support 5 cm + plinth 10 cm	-	-	SA-XZ10	SA-XZ9
cooker support 3 cm + plinth 8 cm	-	-	-	-
s.steel spacer 10 cm	OA-D10	OA-D9	-	-
s.steel spacer 5 cm	OA-D10-5	OA-D9-5	-	-
plastic feet 40 mm	-	-	-	-
s.steel feet 20 mm	-	-	-	-
s.steel splashback	-	-	-	-

BUILT-IN GENESI
GENESI 60x60
GENESI 60x60
GENESI 90X60



main oven	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions
upper oven	-	-	-
width mm	595	595	895
depth mm	550	550	550
height mm	595	595	595
standard colour	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	door	door	door
knobs and handles material	metal	metal	metal
standard trim	brushed	brushed	brushed
clock	digital programmer touch control	digital programmer touch control	digital programmer touch control
main oven	70 lt / s.steel	70 lt /stone grey enamelled	91 lt / s.steel
upper oven	-	-	-
grill main oven	1950 w	1950 w	2870 w
grill upper oven	-	-	-
temp. min-max main oven	50-265 °C	50-265 °C	50-270 °C
temp. min-max upper oven	-	-	-
oven door(s)	3 glasses	3 glasses	3 glasses
drawer	-	-	-
rotisserie	x	x	x
deep trays main oven	1 s.steel	1 stone grey enamelled	1 s.steel
deep trays upper oven	-	-	-
wiring shelves main oven	2 s.steel	2 chrome	2 s.steel
wiring shelves upper oven	-	-	-
trivet main oven	1 s.steel	1 chrome	1 s.steel
telescopic liners	2 pair	●	2 pair
meat probe	x	-	x
pizza stone kit	x	●	x
recipe bok card	x	-	x
models	GFE6-S	GFE6	GFE9-S
max consumption kWh	3,02	2,17	3,6
energy class A	x	x	x

x = included - ● = on demand


GENESI 90X60




GENESI 60x90





GENESI 60x90



GENESI 60x45




multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions	grill / pizza 4 functions
-	grill / pizza 4 functions	grill / pizza 4 functions	-
895	595	595	595
550	550	550	550
595	881	881	450
s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
door	doors and front drawer	doors and front drawer	door and front drawer
metal	metal	metal	metal
brushed	brushed	brushed	brushed
digital programmer touch control	digital programmer touch control	digital programmer touch control	digital programmer touch control
91 lt / stone grey enamelled	70 lt / s.steel	70 lt / stone grey enamelled	34 lt / s.steel
-	34 lt / s.steel	34 lt / stone grey enamelled	-
2870 w	1950 w	1950 w	1950 w
-	2800 w	2800 w	-
50-255°C	50-265°C	50-265°C	50-315°C
-	50 - 315°C	50-265°C	-
3 glasses	3 glasses	3 glasses	3 glasses
-	s.steel / push-pull / 10 lt	s.steel / push-pull / 10 lt	s.steel / push-pull / 10 lt
x	x (main oven)	x (main oven)	-
1 stone grey enamelled	1 s.steel	1 stone grey enamelled	1 s.steel
-	1 s.steel	1 stone grey enamelled	-
2 chrome	1 s.steel	1 chrome	1 s.steel
-	1 s.steel	1 chrome	-
1 chrome	1 s.steel	1 chrome	1 s.steel
●	3 pair	-	●
-	x	-	-
●	x (integrated)	x (integrated)	x (integrated)
-	x	-	-
GFE9	GFFE6-S	GFFE6	GFE6-P
2,9	5,82	4,97	2,08
x	x	x	x

BUILT-IN ASCOT
ASCOT 60x60
ASCOT 60x60
ASCOT 90X60



main oven	COMBI STEAM 9+2 functions	multifunction 9 functions	COMBI STEAM 9+2 functions
upper oven	-	-	-
width mm	595	595	895
depth mm	550	550	550
height mm	595	595	595
standard colour	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	frame and door	frame and door	frame and door
knobs and handles material	metal	metal	metal
standard trim	chrome	chrome	chrome
trims on demand	nickel, brass bronze	nickel, brass bronze	nickel, brass bronze
clock	electronic round programmer	electronic round programmer	electronic round programmer
main oven	70 lt / s.steel	70 lt / stone grey enamelled	70 lt / s.steel
upper oven	-	-	-
grill main oven	1950 w	1950 w	2870 w
grill upper oven	-	-	-
temp. min-max main oven	50-265 °C	50-265 °C	50-270 °C
temp. min-max upper oven	-	-	-
oven door(s)	3 glasses	3 glasses	3 glasses
drawer	-	-	-
rotisserie	x	x	x
deep trays main oven	1 s.steel	1 stone grey enamelled	1 s.steel
deep trays upper oven	-	-	-
wiring shelves main oven	2 s.steel	2 chrome	2 s.steel
wiring shelves upper oven	-	-	-
trivet main oven	1 s.steel	1 chrome	1 s.steel
telescopic liners	2 pair	●	2 pair
pizza stone kit	x	●	x
receptenboek aanvraagkaart	x	-	x
models	AFE6-S	AFE6	AFE9-S
max consumption kWh	3,02	2,17	3,6
energy class A	x	x	x

x = included - ● = on demand


ASCOT 90x60





ASCOT 60x90



ASCOT 60x90









	multifunction 9 functions	COMBI STEAM 9+2 functions	multifunction 9 functions
	-	grill / pizza oven	grill / pizza oven
	895	595	595
	550	550	550
	595	881	881
	s.steel	s.steel	s.steel
	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
	frame and door	frame, doors, front drawer	frame, doors, front drawer
	metal	metal	metal
	chrome	chrome	chrome
	nickel, brass bronze	nickel, brass bronze	nickel, brass bronze
	electronic round programmer	electronic round programmer	electronic round programmer
	91 lt / stone grey enamelled	70 lt s.steel	70 lt / stone grey enamelled
	-	34 lt / s.steel	34 lt / stone grey enamelled
	2870 w	1950 w	1950 w
	-	2800 w	2800 w
	50-255°C	50-265°C	50-265°C
	-	50 - 315°C	50-265°C
	3 glasses	3 glasses	3 glasses
	-	s.steel / push-pull / 10lt	s.steel / push-pull / 10lt
	x	x (main oven)	x (main oven)
	1 stone grey enamelled	1 s.steel	1 stone grey enamelled
	-	1 s.steel	1 stone grey enamelled
	2 chrome	1 s.steel	1 chrome
	-	1 s.steel	1 chrome
	1 chrome	1 s.steel	1 chrome
	●	3 pair	●
	●	x (integrated)	x (integrated)
	-	x	-
	AFE9	AFFE6-S	AFFE6
	2,9	5,82	4,97
	x	x	x

COOKTOP
GENESI 120
GENESI 90
ASCOT 90










width mm	1172		899				899			
depth mm	625		625				598			
height mm	210		210				210			
top material	s.steel Aisi 304		s.steel Aisi 304				s.steel Aisi 304			
standard colour	s.steel		s.steel				s.steel			
colours on demand	-		-				crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista			
colour position	-		-				side panels, control panel			
knobs and handles material	metal		metal				metal			
standard trim	brushed		brushed				chrome			
trims on demand	-		-				control panel			
ignition	one-touch		one-touch				one-touch			
models	G12...		G9...				A9...			
	...-6T	...-6B	...-6	...-4T	...-4B	...-5FI	...-6	...-4T	...-4B	...-5FI
	4354	4354	1810	2611	2611	3444	1810	2611	2611	2444
cast iron pan supports	x	x	x	x	x	-	-	-	-	-
cast iron wok support	x	x	x	x	x	-	x	x	x	-
aluminium auxiliary burner 1 kW	2	2	2	1	1	-	2	1	1	-
aluminium semi-rapid burner 1,8 kW	1	1	1	1	1	-	1	1	1	-
aluminium rapid burner 3 kW	1	1	1	1	1	-	1	1	1	-
aluminium wok burner 3,6 kW	1	1	1	1	1	-	2	1	1	-
aluminium fish burner 1,9 kW	1	-	1	-	-	-	-	-	-	-
cast iron frytop 2,4 kW	1	-	-	1	-	-	-	1	-	-
cast iron bbq 2,4 kW	-	1	-	-	1	-	-	-	1	-
induction with booster max 3,7 kW and child lock	-	-	-	-	-	1,85+1,85+2,1+2,1+2,1	-	-	-	1,85+1,85+2,1+2,1+2,1
flex induction - booster max 7,4 kW	-	-	-	-	-	x	-	-	-	x
max consumption kWh	2,4	2,4	0,1	2,4	2,4	7,4	0,1	2,4	2,4	7,4
teppanyaki 5 mm s.steel SA-TY	●	●	-	●	●	●	-	●	●	●
teppanyaki 5 mm s.steel DA-TY	-	-	●	-	-	-	●	-	-	-
gas connection left/backside	x	x	x	x	x	-	x	x	x	-

x = included - ● = on demand

RANGE HOODS
VERTICALE 120
VERTICALE 90
GENESI 120
GENESI 100
GENESI 90
GENESI 70



hood type	recirculatie	recirculatie	luchafvoer	luchafvoer	luchafvoer	luchafvoer
convertible	-	-	recirculatie	recirculatie	recirculatie	recirculatie
width mm	1199	899	1200	1000	900	700
depth mm	150-480	150-480	550	550	550	550
height mm	600	600	700	700	700	700
height adjustment mm	-	-	300	300	300	300
body material	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
standard colour	s.steel + chrome	s.steel + chrome	s.steel	s.steel	s.steel	s.steel
colours on demand	celeste, sabbia, nuvola, ametista	celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	insert	insert	insert	insert	insert	insert
handles material	-	-	-	-	-	-
standard trim	-	-	-	-	-	-
trims on demand	-	-	-	-	-	-
lightening	LED 5	LED 4	LED 4	LED 4	LED 4	LED 3
dimming	x	x	-	-	-	-
soft-touch integrated control	x	x	x	x	x	x
remote control	x	x	-	-	-	-
speeds	4	4	4	4	4	4
timer	15 min	15 min	15 min	15 min	15 min	15 min
blower delivery	850 m ³ /h	850 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h
noise level max	61 dB	61 dB	64 dB	64 dB	64 dB	64 dB
energy consumption/year	153 kWh	153 kWh	113 kWh	113 kWh	97 kWh	97 kWh
carbon filters	x / cylinder	x / cylinder	● SA-FKAG	● SA-FKAG	● SA-FKAG	● SA-FKAG
models	GKV120	GKV90	GK120	GK100	GK90	GK70

x = included - ● = on demand









RANGE HOODS
ASCOT 120
ASCOT 100
ASCOT 90
ASCOT 70
ENFASI 100
ENFASI 90
OXFORD 100
OXFORD 90


hood type	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer	luchafvoer
convertible	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie	recirculatie
width mm	1172	1000	900	700	999	899	1000	900
depth mm	500	500	500	500	500	500	500	500
height mm	554	554	554	554	820	820	554	554
height adjustment mm	446	446	446	446	300	300	446	446
body material	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	nero fumo	nero fumo
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	-	-	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, celeste, sabbia, nuvola, ametista
colour position	body & chimney	body & chimney	body & chimney	body & chimney	-	-	body & chimney	body & chimney
handles material	metal	metal	metal	metal	-	-	metal	metal
standard trim	chrome	chrome	chrome	chrome	-	-	nickel	nickel
trims on demand	control panel	control panel	control panel	control panel	-	-	-	-
lightening	LED 4+2	LED 4+2	LED 4+2	LED 3+2	LED 4	LED 4	LED 4+2	LED 4+2
dimming	-	-	-	-	-	-	-	-
soft-touch integrated control	x	x	x	x	x	x	x	x
remote control	-	-	-	-	-	-	-	-
speeds	4	4	4	4	4	4	4	4
timer	15 min	15 min	15 min	15 min	10 min	10 min	15 min	15 min
blower delivery	800 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h	800 m ³ /h
noise level max	64 dB	64 dB	64 dB	64 dB	61 dB	61 dB	64 dB	64 dB
energy consumption/year	66 kWh	66 kWh	66 kWh	66 kWh	64 kWh	64 kWh	66 kWh	66 kWh
carbon filters	● SA-FKS	● SA-FKS	● SA-FKS	● SA-FKS	● SA-FKE	● SA-FKE	● SA-FKS	● SA-FKS
models	AKL120	AKL100	AKL90	AKL70	EK100	EK90	XK100	XK90








x = included - ● = on demand

**MODULAR
SYSTEM
GENESI**
**GENESI 120
WORKING
TABLE**
**GENESI 90
WORKING
TABLE**
**GENESI 70
WORKING
TABLE**
**GENESI 70
WORKING
TABLE**
**GENESI 70
DISHWASHER
UNIT**
**GENESI 120
SINK UNIT**
**GENESI 90
SINK UNIT**









width mm	1172	899	698	698	698	1172	899
depth mm	599 body/625 top	599 body/625 top	599 body/625 top	599 body/625 top	599 body/625 top	599 body/625 top	599 body/625 top
height mm	898	898	898	898	898	898	898
height adjustment mm *	20	20	20	20	20	20	20
body material	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	pull-out drawers front	pull-out drawers front	pull-out drawers front	door front	door front	pull-out drawers front	doors front
handles material	metal	metal	metal	metal	metal	metal	metal
standard trim	brushed	brushed	brushed	brushed	brushed	brushed	brushed
trims on demand	-	-	-	-	-	-	-
top material	s.steel	s.steel	s.steel	s.steel	s.steel	2 bowls	2 bowls
built-in oven niche							
upper drawer	push-pull	push-pull	push-pull	push-pull	-	-	-
middle drawer	pull-out	pull-out	pull-out	-	-	pull-out	-
lower drawer	pull-out	pull-out	pull-out	-	-	pull-out	-
door(s)	-	-	-	soft-close	-	-	soft-close
upper compartment	-	-	-	-	-	-	-
models	G12C-P	G9C-P	G7C-P	G7S-P	GLS-7 * prepared for siemens mod. SN... slide door	G12C-L2	G9S-L2
integrated cast iron pan supports							
cast iron wok support							
aluminium auxiliary burner 1 kW							
aluminium semi-rapid burner 1,8 kW							
aluminium rapid burner 3 kW							
aluminium wok burner 3,6 kW							
aluminium fish burner 1,9 kW							
induction with booster max 3,7 kW and child lock							
max consumption kWh							
accessories on demand							
backsplash	SA-AG12	SA-AG9	SA-AG7	SA-AG7	SA-AG7	SA-AG12	SA-AG9
cooker support 5 cm + plinth 10 cm	SA-SZ12	SA-SZ9	SA-SZ7	SA-SZ7	SA-SZ7	SA-SZ12	SA-SZ9
cooker support 3 cm + plinth 8 cm	SA-SZ12-3	SA-SZ9-3	SA-SZ7-3	SA-SZ7-3	SA-SZ7-3	SA-SZ12-3	SA-SZ9-3
s.steel spacer 10 cm	GA-D12	GA-D9	GA-D7	GA-D7	GA-D7	GA-D12	GA-D9
s.steel spacer 5 cm	GA-D12-5	GA-D9-5	GA-D7-5	GA-D7-5	GA-D7-5	GA-D12-5	GA-D9-5
plastic feet 40 mm	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR
s.steel feet 20 mm	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX
wooden chopping board	SA-CPL12	SA-CPL9	SA-CPL7	SA-CPL7	SA-CPL7	-	-
wooden cutlery tray	SA-PP12	SA-PP9	SA-PP7	SA-PP7	-	-	-
wooden dishes and pots organizer	SA-PT12	SA-PT9	SA-PT7	SA-PT7	-	-	-
wooden pins for organizer (3 pcs)	SA-PTKB	SA-PTKB	SA-PTKB	SA-PTKB	-	-	-

**GENESI 90
SINK UNIT**

**GENESI 70
SINK UNIT**

**GENESI 90
COOK UNIT**

**GENESI 70
COLUMN
oven 60X60**

**GENESI 70
COLUMN
oven 60X90**

**GENESI 90
WALL UNIT**

**GENESI 90
WALL UNIT**

**GENESI 70
WALL UNIT**








899	698	899	698	698	899	899	698	
599 body/625 top	599 body/625 top	599 body/625 top	599	599	360	360	360	
898	898	898	1750	1750	610	610	610	
20	20	20	20	20	-	-	-	
s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 304	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	-	-	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	
doors front	door front	pull-out drawers front	-	-	doors front	doors front	door front	
metal	metal	metal	metal	metal	metal	metal	metal	
brushed	brushed	brushed	brushed	brushed	brushed	brushed	brushed	
-	-	-	-	-	-	-	-	
1 big bowl	2 bowls	s.steel Aisi 304	-	-	s.steel	s.steel	s.steel	
-	-	-	60x60 cm	60x90 cm	-	-	-	
-	-	-	push-pull	-	-	-	-	
-	-	pull-out	pull-out	pull-out	-	-	-	
-	-	pull-out	pull-out	pull-out	-	-	-	
soft-close	soft-close	-	-	-	soft-close	soft-close	soft-close	
-	-	-	push-pull	push-pull	-	-	-	
G9S-L1G	G7S-P	G9C-6	G9C-5FI	GMS-7FP	GMS-7FFP	G9PS-S	G9PS	G7PS
		x	-					
		x	-					
		2	-					
		1	-					
		1	-					
		1	-					
		1	-					
		-	1,85+1,85+ 2,1+2,1+2,1					
		0,1	7,4					
SA-AG9	SA-AG7	SA-AG9	SA-AG7	SA-AG7	SA-AG7	-	-	-
SA-SZ7	SA-SZ7	SA-SZ9	SA-SZ7	SA-SZ7	SA-SZ7	-	-	-
SA-SZ9-3	SA-SZ7-3	SA-SZ9-3	SA-SZ7-3	SA-SZ7-3	SA-SZ7-3	-	-	-
GA-D9	GA-D7	GA-D9	-	-	-	-	-	-
GA-D9-5	GA-D7-5	GA-D9-5	-	-	-	-	-	-
SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	-	-	-
SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	-	-	-
-	-	-	-	-	-	-	-	-
-	-	SA-PP9	-	-	-	-	-	-
-	-	SA-PT9	-	-	-	-	-	-
-	-	SA-PTKB	-	-	-	-	-	-

**MODULAR
SYSTEM
ASCOT**
**ASCOT 120
WORKING
TABLE**
**ASCOT 90
WORKING
TABLE**
**ASCOT 70
WORKING
TABLE**
**ASCOT 70
WORKING
TABLE**
**ASCOT 70
DISHWASHER
UNIT**
**ASCOT 120
SINK UNIT**
**ASCOT 90
SINK UNIT**


width mm	1172	899	698	698	698	1172	899
depth mm	598	598	598	598	598	598	598
height mm	896	896	896	896	896	896	896
height adjustment mm *	20	20	20	20	20	20	20
body material	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	side panels, drawers, doors front	side panels, drawers front	side panels, drawers front	side panels, drawer, door front	side panels, drawer, door front	side panels, doors front	side panels, doors front
handles material	metal	metal	metal	metal	metal	metal	metal
standard trim	chrome	chrome	chrome	chrome	chrome	chrome	chrome
trims on demand	control panel	control panel	control panel	control panel	control panel	control panel	control panel
top material	s.steel	s.steel	s.steel	s.steel	s.steel	2 bowls	2 bowls
built-in oven niche							
upper drawer	pull-out	pull-out	pull-out	pull-out	-	-	-
middle drawer	-	pull-out	pull-out	-	-	-	-
lower drawer	-	pull-out	pull-out	-	-	-	-
door(s)	soft-close	x	-	soft-close	-	soft-close	soft-close
upper compartment							
models	A12S-P	A9C-P	A7C-P	A7S-P	ALS-7* voorbereid siemens mod. SN... slide door	A12S-L2	A9S-L2
integrated cast iron pan supports							
cast iron wok support							
aluminium auxiliary burner 1 kW							
aluminium semi-rapid burner 1,8 kW							
aluminium rapid burner 3 kW							
aluminium wok burner 3,6 kW							
aluminium fish burner 1,9 kW							
induction with booster max 3,7 kW and child lock							
max consumption kWh							
accessories on demand							
backsplash	x	x	x	x	x	x	x
cooker support 5 cm + plinth 10 cm	SA-AZ12	SA-AZ9	SA-AZ7	SA-AZ7	SA-AZ7	SA-AZ12	SA-AZ9
cooker support 3 cm + plinth 8 cm	SA-AZ12-3	SA-AZ9-3	SA-AZ7-3	SA-AZ7-3	SA-AZ7-3	SA-AZ12-3	SA-AZ9-3
s.steel spacer 10 cm	AA-D12	AA-D9	AA-D7	AA-D7	AA-D7	AA-D12	AA-D9
s.steel spacer 5 cm	AA-D12-5	AA-D9-5	AA-D7-5	AA-D7-5	AA-D7-5	AA-D12-5	AA-D9-5
plastic feet 40 mm	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	SA-PR
s.steel feet 20 mm	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX
wooden chopping board	SA-CPL12	SA-CPL9	SA-CPL7	SA-CPL7	SA-CPL7	-	-
wooden cutlery tray	SA-PP12	SA-PP9	SA-PP7	SA-PP7	-	-	-
wooden dishes and pots organizer	SA-PT12	SA-PT9	SA-PT7	SA-PT7	-	-	-
wooden pins for organizer (3 pcs)	SA-PTKB	SA-PTKB	SA-PTKB	SA-PTKB	-	-	-

**ASCOT 90
SINK UNIT**
**ASCOT 70
SINK UNIT**
**ASCOT 90
COOK UNIT**
**ASCOT 70
COLUMN oven
60x60**
**ASCOT 70
COLUMN oven
60x90**
**ASCOT 90
WALL UNIT**
**ASCOT 90
WALL UNIT**
**ASCOT 70
WALL UNIT**


899	698	899	698	698	899	899	698
598	598	598	599	599	360	360	360
896	896	896	1750	1750	610	610	610
20	20	20	20	20	-	-	-
s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 304	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441	s.steel Aisi 441
s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	-	-	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
side panels, doors front	side panels, door front	side panels, control panel, drawers front	-	-	side panels, doors front	side panels, doors front	side panels, door front
metal	metal	metal	metal	metal	metal	metal	metal
chrome	chrome	chrome	brushed	brushed	chrome	chrome	chrome
control panel	control panel	control panel	control panel	control panel	control panel	control panel	control panel
1 big bowl	2 bowls	s.steel Aisi 304	-	-	s.steel	s.steel	s.steel
-	-	-	60x60 cm	60x90 cm	-	-	-
-	-	pull-out	pull-out	pull-out	-	-	-
-	-	pull-out	pull-out	pull-out	-	-	-
soft-close	soft-close	-	-	-	soft-close	soft-close	soft-close
			push-pull	push-pull			
A9S-L1G	A7S-L2	A9C-6	A9C-5FI	AMS-7FP	AMS-7FFP	G9PS-S	G7PS
		-	-				
		x	-				
		2	-				
		1	-				
		1	-				
		2	-				
		-	-				
		-	1,85+1,85+ 2,1+2,1+2,1				
		0,1	7,4				
x	x	SA-AG9	SA-AG7	SA-AG7	-	-	-
SA-AZ7	SA-AZ7	SA-SZ9	SA-SZ7	SA-SZ7	-	-	-
SA-AZ9-3	SA-AZ7-3	SA-SZ9-3	SA-SZ7-3	SA-SZ7-3	-	-	-
AA-D9	AA-D7	AA-D9	-	-	-	-	-
AA-D9-5	AA-D7-5	AA-D9-5	-	-	-	-	-
SA-PR	SA-PR	SA-PR	SA-PR	SA-PR	-	-	-
SA-PRX	SA-PRX	SA-PRX	SA-PRX	SA-PRX	-	-	-
-	-	-	-	-	-	-	-
-	-	SA-PP9	-	-	-	-	-
-	-	SA-PT9	-	-	-	-	-
-	-	SA-PTKB	-	-	-	-	-

**REFRIGERATORS
GENESI - ASCOT**
**GENESI 90
SIDE BY SIDE**
**GENESI 90
SIDE BY SIDE
BUILT-IN**
**GENESI 90
FRENCH DOOR**
**ASCOT 90
SIDE BY SIDE**
**ASCOT 90
SIDE BY SIDE
BUILT-IN**
**ASCOT 90
FRENCH DOOR**


width mm	915	915	908	915	915	908
depth mm	587 body / 687 doors	587 body / 687 doors	600 body / 692 doors	587 body / 687 doors	587 body / 687 doors	600 body / 692 doors
height mm	1966	1716	1780	1966	1716	1780
doors/drawer material	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304	s.steel Aisi 304
side panels material	s.steel Aisi 304	plastic grey	plastic grey	s.steel Aisi 304	plastic grey	plastic grey
standard colour	s.steel	s.steel	s.steel	s.steel	s.steel	s.steel
colours on demand	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista	crema, bordeaux, nero, antracite, celeste, sabbia, nuvola, ametista
colour position	doors, side panels	doors	doors, drawer	doors, side panels, upper compartment	doors	doors, drawer
handles material	metal	metal	metal	metal	metal	metal
standard trim	brushed	brushed	brushed	chrome	chrome	chrome
trims on demand	-	-	-	nickel, brass, bronze	nickel, brass, bronze	nickel, brass, bronze
refrigerator volume lt	370	370	417	370	370	417
freezer volume lt	173	173	119	173	173	119
upper compartment	x	x	-	x	x	-
energy class	A+	A+	A+	A+	A+	A+
freezer rating	****	****	****	****	****	****
energy consumption/year	445kW/h	445kW/h	410 kW/h	445 kW/h	445kW/h	410 kW/h
water/ice dispenser	water/ice	water/ice	water	water/ice	water/ice	water
plumbing	x	x	-	x	x	-
temperature control	electronic	electronic	electronic	electronic	electronic	electronic
no-frost	x	x	x	x	x	x
lightening	LED	LED	LED	LED	LED	LED
shelves material	glass	glass	glass	glass	glass	glass
alarm door open	x	x	x	x	x	x
super cooling	x	x	x	x	x	x
super freezing	x	x	x	x	x	x
xpress can chiller	x	x	-	x	x	-
holiday mode	-	-	x	-	-	x
child lock	x	x	x	x	x	x
water filter	x	x	-	x	x	-
models	GFR-9	GFRB-9	GFR-9F	AFR-9	AFRB-9	AFR-9F

x= included - ● = on demand



steel
stile in cucina

STEEL SRL
Via dell'Agricoltura 21
41012 Carpi (Mo) - Italy
T. +39 059 645180
steel@steel-cucine.com

www.steel-cucine.com